

Product Selection Guide

Smart access control and video intercom systems



Security made simple.

With 40 years of experience in designing and manufacturing market-leading access control security solutions, we are passionate about technology.

We harness the latest available technologies to deliver elegant, useful and practical solutions for our customers. We are constantly striving to make our products simple to buy, install, and use.

We are a manufacturer committed to offering free training and ongoing support to our installers, all backed by our 5-year warranty for peace of mind.



Easy to quote

- Build your system one door at a time
- A range of products to suit any site requirement
- Scalable system add doors when the budget is available



Easy to install

- Plug and play solutions that
 connect directly to the network
- Mix and match Net2 products

 they are all designed to work together seamlessly
- Clear instructions and color coded wiring labels



Easy to work with

- Industry-leading
 customer suppor
- 5-year warranty and three step returns policy
- Free software upgrades and no multiple license fees

Contents

3

5 Networked Access Control

Our networked access control system, Net2, is administered using one or more PCs and can be monitored and managed from a central location. Our door controllers come as IP, wireless or battery powered.

- 6 Wired Controllers Net2 Plus
- 8 Wireless Controllers Net2 PaxLock
- 9 Building Control I/O Board
- 10 Net2 Readers
- 14 Net2 Tokens
- 16 Net2 Software
- 17 Accessories & Other Components
- 19 Demonstration Products

21 Access Control & Video Management

Our single platform solution combining access control and video management. Paxton10 is an ideal solution to futureproof site security.

- 22 Paxton10
- 23 Integration
- 24 Cameras
- 26 Readers & Tokens
- 27 Software & Apps

28 Video Intercom

Our video intercom system, Entry, is an advanced one cable intercom system with built-in access control capabilities.

- 29 Entry System Components
- 32 Demo Cases

34 Wireless Locksets

PaxLock Pro is compatible with Net2 and Paxton10, or works in Standalone mode. PaxLock is a wireless, electronic battery powered door handle.

- 35 PaxLock Pro
- 37 PaxLock Pro Components

38 Standalone Access Control

Our standalone access control is a non-networked system made up of readers or simple door controllers located at each door. Standalone systems are administered via the use of tokens or card packs.

- 39 Switch
- 40 Switch2 Readers
- 43 Compact
- 45 Standalone Tokens
- 46 Standalone Accessories
- 48 Additional Information

Welcome

This Product Selection Guide is designed to help you to choose the right products to build up an access control system.

Paxton produce a variety of security solutions to suit different site requirements. Our one door philosophy means doors can be added as required or when budget becomes available.

What's new?

Paxton10 CORE & PRO Cameras

Our most powerful system,

Paxton 10 is now suitable for more installations than ever before with the introduction of the CORE and PRO Series cameras. Two new series of Paxton 10 cameras to choose from, mix and match to tailor your own solution.



Great value CORE Series:

Mini Bullet, Mini Dome and Turret 4MP cameras with 64GB of in-built edge storage

High performance PRO Series:

Mini Bullet, Vari-focal Bullet and Turret 8MP, 4K cameras with a huge 256GB of edge storage

See page 24

PaxLock Catalogue Updates

Following recent updates to simplify our PaxLock Pro portfolio, you can now find all our PaxLock Pro products on **page 34** of this Product Selection Guide. Every PaxLock Pro is now compatible with both Net2 and Paxton10, as well as working in standalone mode.


Please note: Net2 PaxLock is still available - see page 8.





Paxton Rewards

Your new Paxton loyalty program



Rewards made simple.

Get rewarded for buying and installing Paxton products. Scan your products, complete activities, and earn points.

The more points you earn, the higher you climb. From Paxton Partner to Platinum Partner, you'll unlock more fantastic benefits with every tier.

Learn how to earn: paxton.info/5390



Paxton

Start earning points today with Paxton Rewards in the **Paxton Installer** app!

Download FREE on iOS or Android

Scan the QR code to download now




App Store




Our networked access control system, Net2, is administered using one or more PCs and can be monitored and managed from a central location. Our door controllers come as IP, wireless or battery powered.

- Net2 is Paxton's flagship access control product
- A powerful networked system that addresses the needs of the mid-market
- Modular approach for simplicity and scalability
- Simple intuitive software
- Range of features that move beyond basic access control
- A complete solution that encompasses wireless and door entry



Net2 plus Wired Controller

- A networked IP ready single door controller
- On-board TCP/IP connection allows direct connection to a network
- Can connect together with dedicated RS485 network







Net2 plus in US Metal Enclosure with 12V or 24V PSU with trigger disconnect

Sales code 682-620-US



-12.5

Paxton

-12.5



Net2 IP starter kit for 2 doors - Low Voltage PSU

Sales code 682-930-US

Net2 Plus starter kit for 2 doors - PoE+ PSU

Sales code 682-920-US

Includes: 2 x Net2 plus controller, metal cabinet 2 x P50M readers 1 x Enrollment reader USB

10 x Keyfobs & 10 cards 1 x Net2 Pro software

Net2 Plus Single Door Expansion Kit - Low Voltage PSU

Sales code 682-960-US


Net2 Plus Single Door Expansion Kit - PoE+ PSU


Sales code 682-950-US

Includes: 1 x Net2 plus controller, metal cabinet 1 x Proximity reader - P50M

Net2 PaxLock Wireless Controller

- Networked access control system in a wireless door handle
- Ready to install with a C Keyway core
- Integrates with Net2 access control
- Communicates using Net2Air technology





Paxton

877.438.7298

supportUS@paxton-access.com



Building Control - I/O Board

When a valid fob is presented to the reader, the I/O board can be programmed to trigger the power to elevators, lighting, heating and electrical equipment.

The Net2 I/O board is a simple, yet powerful addition to the Net2 system. It can be wired alongside a Net2 door controller, to switch power on and off to electrical equipment to save money and energy. The Net2 I/O board can control power to elevators, lighting, heating, water and air-conditioning by using the Triggers and Actions application in the Net2 software. These actions can be programmed for a particular time, or in response to a specific Net2 event.

- Connect directly to a LAN/WAN only
- Enable integration with elevators, lighting, heating and more
- 4 inputs and 4 outputs on the Net2 I/O board

Please note, Net2 I/O boards work as part of the Net2 system. They are not door controllers.



Net2 I/O board

Sales code 489-710-US



Net2 I/O board in plastic housing




Sales code 385-710-US

_

Net2 Readers Pre-Activated with Genuine HID Technology™

The pre-activated Net2 series of readers with Genuine HID Technology[™] come pre-enabled with HID[™] 125kHz Proximity out of the box. HID[™] license activation is not required. These readers can also include an optional HID[™] Wiegand output with a separate purchase of a Wiegand activation card.





10


Paxton

Net2 Readers

These readers are for use with Net2. Designed to fit in seamlessly in any environment, our wide range means you get the right choice for your site requirements.


★ Indicates readers that have functionality to read HID™ 125kHz Proximity tokens, using Genuine HID Technology™ 125kHz. This is enabled using Genuine HID Technology™ Proximity activation licence cards or Wiegand activation licence cards (if the reader needs to provide a Wiegand output), both sold separately (see Tokens section, pg., pg.15).





*	PROXIMITY vandal proof	freader	*	PROXIMITY panel mount	t reader
	Sales code 568-855-US	$ \begin{array}{c} \downarrow 1.2^{-} \\ \downarrow \\ \downarrow$		Sales code 390-135-US	h 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
6 *	PROXIMITY marine reade	er		Energy saving reader	
	Sales code 500-010-US		00	Sales code 595-248-US	
	PROXIMITY architectural gunmetal grey	reader,		Insert - stone Sales code 361-002-US	J
	Sales code 360-864GG-US			Insert - glass with logo Sales code 361-003-US))) 2.4"
	PROXIMITY architectural chrome	reader, satin	000	Vandal resistant metal ke	eypad
	Sales code 360-864SC-US			Sales code 521-715-US	
0	Long range reader			CARDLOCK reader, satin o	chrome
6	Sales code 313-110-US		···	Sales code 409-711SC-US	

Paxton






∂ www.paxton-access.com/us

14

Net2 Tokens

These tokens are for use with Net2 systems.





Net2 hands free keyfob

Sales code 690-222-US





Net2 hands free keycard

Sales code 690-333-US



Genuine HID Technology[™] License Activation Cards

125Khz ISO Proximity Card Licence x 1 with Genuine HID Technology™




Sales code 125-001-US Wiegand Activation Card with Genuine HID Technology™

▼Paxton Wiegand activation

Sales code 125-201-US

Genuine HID Technology™ 125kHz Proximity activation license cards and Wiegand activation license cards are for use with Net2 readers indicated with the symbol ★ (from **pg. 11**) to activate functionality to read HID™ 125kHz Proximity or HID™ Wiegand tokens.





\$ 877.438.7298

16

Net2 Software

Net2 Pro has all the capabilities of Net2 Lite software with advanced features like Landlord Tenant, security lockdown and anti-passback.

Net2 Lite contains all of the access control features to manage access privileges and report on users. Other features include multiple workstations, CCTV and intruder alarm integration and site graphics.

Feature	Lite	Pro
Multiple clients	•	•
Free upgrades	•	•
CCTV integration	•	•
Site graphics	•	•
Triggers and actions	•	٠
Intruder alarm integration*	•	•
Entry compatible	•	•
Biometric integration	•	٠
Card designer	•	٠
Timesheet & Timeline*	•	•
Landlord/Tenant		•
Roll call and muster reporting*		•
Fire alarm integration*		•
Anti-passback*		•
Security lockdown*		•
Multi-zone intruder alarm integration*		•
Custom days*		•
Areas		•
Customizable welcome page		•
Paxton Connect app		•
Net2Online		•
Checkpoint Control		•
Occupancy Management		•

* Not available with wireless nano products

Watch our tutorial videos and learn how you can get the very best from the Net2 software and offer your customers more from their access control system.

http://paxton.info/3142





Net2Online and Paxton Connect

Easy access to your Net2 system wherever you are – any location, any device. Flexible site management via a browser with Net2Online and from the Paxton Connect app.

Features include:

- User admin
- Managing roll call reports
- Open door functionality

Download the app now:






877.438.7298

Viewing reports and events

Free with Net2 Pro

Net2 Accessories & Other Components



★ 514-326-US has functionality to read HID[™] 125kHz Proximity tokens, using Genuine HID Technology[™] 125kHz. This is enabled using Genuine HID Technology[™] Proximity activation licence cards (pg.16)

Exit button marine



EXIT



Sales code 593-721-US

Sales code 376-310-US





ISO card holder, clear, pack of 5

Exit button E50

Sales code 356-310-US

Sales code 696-400-US






Hands free card holders with suckers, pack of 5

Sales code 696-100-US

 \sum	0
H	5″





Net2 demo board - Net2 plus

Sales code 121-005-US



Demo case Net2 Plus

The case includes a Net2 plus, Net2 Pro software, Net2 desktop reader and a sample pack of Net2 demonstration tokens.

Sales code 541-427-US





\$ 877.438.7298

Notes

Notes

Paxton10 is a single platform solution combining access control and video management. Scalable from 1 to 1000 doors, and 1 to 1000 cameras, Paxton10 is a versatile solution suitable for all building types and sizes.

- Easy to quote and configure, build a complete system with just five components
- Manage multiple sites on a single system from anywhere with an internet connection
- Web-based user interface with no configuration required
- Paxton10 PRO and CORE cameras give you flexibility and choice; the system is also compatible with third-party IP video cameras
- Custom dashboards to suit any user requirements
- Built in Bluetooth[®] to use phone or smartwatch smart credentials.

Paxton 10


Works seemlessly with Entry and PaxLock Pro

22

Paxton10

Access control. Video management. One system

- Single door controller architecture for ease of install and flexibility
- Feature rich video management solution embedded in the cameras, no third-party integration required
- Built-in Bluetooth[®] wireless technology, supports free of charge smart credentials
- Fully compatible with Entry, our award-winning video and audio door entry solution
- Fully compatible with PaxLock Pro, our wireless lockset line
- Distributed intelligence to increase reliability
- Powerful multiformat readers and keypad, reads Paxton, MIFARE®, HID[™] Prox, EM, FeliCa, NFC and DESFire token technology





Paxton10 Door Controller

Sales code 010-403-US





Paxton10 Door Controller - Plastic Enclosure

Sales code 010-315-US





Paxton10 Door Controller - 12/24V 2A PSU

Sales code 010-522-US



2



Paxton10 Video Controller - 12/24V 4A PSU

Sales code 010-803-US

Ī	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
-12:7"-	•	
	1111111111111 111111111111111111111111	
	12.7"	



Paxton10 Door Controller - PoE+ PSU

Sales code 010-495-US






Paxton10 Video Controller - PoE+ PSU









Paxton10 Wireless Connector Sales code 010-592-US

See page 34 for relevant PaxLock Pro products.

24

Paxton10 Cameras

Paxton10 includes Paxton's own video management solution and range of CORE & PRO cameras, providing a single point of management for system users. A Paxton10 system can manage up to 1000 cameras including integration with third party IP cameras.

- Industry leading low light performance (0.003 Lux)
- IP67 rated for internal and external use*
- IK10 rated robust metal construction**
- Edge and centralized recording capability
- Simple configuration

*010-924 is IP66 rated

**010-102 and 010-924 only

Paxton10 cameras come with a 256GB SD card (PRO Series) or 64GB SD card (CORE Series) as standard. Please note, the SD card is a consumable item and is therefore excluded from the guarantee.



High performance PRO series:

- 256GB surveillance quality on camera storage
- 8MP 4K resolution for crystal clear recording



NEW

High value CORE series:


- 64GB of in-built edge storage
- ▶ 4MP resolution





877.438.7298







Paxton10 Reader Keypad	

Sales code 010-721-US





Paxton10 Keyfobs -Pack of 10

Sales code 010-170-US





Paxton10 Vandal Resistant Reader

Sales code 010-254-US

Reader



Hands Free Keyfob

Paxton10 Cards-Pack of 10

Paxton10 Bluetooth®

Sales code 010-690-US

Sales code 010-427-US -3.4

Sales code 010-296-US

Paxton10 Slimline



4

Paxton

26







Paxton Connect

Paxton Key App

Paxton10 Software A web-based user interface that is intuitive and easy to use.

Accessible from any device with an internet connection, the interface makes remote site management simple. The software comes as a native part of the system with a Paxton10 server. It has a range of intelligent features to maximise efficiency and optimize the combined access and video management solution.

- Web-based software no installation, plug-ins or upgrading required
- Free of charge simple online updates with no ongoing charges
- Suitable for touchscreen and desktop devices
- > Optimised for use on PCs and tablets
- Low battery alerts, easy to monitor back up battery state
- Flexible and secure remote access

Features:

Dashboards - Customized dashboards to suit any user requirements

Reports - Powerful reporting engine where all system events and videos can be reviewed

Site plans - For the visual management of the system

Tutorial wizards - Support new and existing users to make full use of the software

People - Manage user permissions, credentials and information

Rules - Set permissions, time profiles, triggers and actions and much more

Devices - Configure and manage the devices in a building

Paxton10 Apps

Paxton Connect Flexible site management

The Paxton Connect app provides easy and flexible site management for Paxton10. Containing easy to use features in one smart user interface, Paxton Connect enables you and your customers to manage multiple sites remotely from a smartphone.

Features:

People - Manage user permission, credentials and information

Reports - Access all system reports from your smart device or tablet

Devices - Configure and manage all devices on site

Dashboards - Access custom dashboards for personalized system overview

Paxton Key Utilize smart devices as access tokens

The Paxton Key app allows system users to make use of their smartphone, smartwatch or tablet in place of traditional tokens. These are called smart credentials and can be issued free of charge. Utilizing the built-in Bluetooth® wireless technology in Paxton10 readers, the smart device can securely communicate with the Paxton10 system to grant or deny access. Paxton Key also enables the user to carry out predefined building management functionality – such as setting the intruder alarm.

Download the free apps from the **App Store or Google Play**

27

²axton10 Software & Apps



App Store


Entry is a video intercom system that works standalone or alongside Net2 access control, combining door entry with key features of Net2. 8 Josh Wilson

10 Kyle Ferguson

Paxton

Entry is a scalable solution, allowing expansion of up to a hundred panels and a thousand monitors.

- > Just 3 components monitor, panel and door controller
- Premium, standard, audio, and vandal resistant solutions available
- Intruder alarm integration set the alarm in Net2 from the Entry panel for extra convenience
- > Pan/tilt camera functionality to capture an angled view
- > Low light sensitivity camera ideal for use day or night
- SIP compatibility the door can be answered from cell phone, tablet or PC
- > Add a secondary IP camera for higher security sites



Entry

A smart, simple video intercom system.

- Panels available in three variants: the Entry Touch panel with an advanced 7-inch color touch screen, Entry Standard panel in anthracite grey and the Entry VR panel in super durable stainless steel
- All variants available in flush, surface and rain-hood versions - suitable for a range of environments
- Three monitors available, including premium, standard and audio, to create a custom solution for any site
- Personalize the Entry Touch panel, premium monitor and Standard monitor with multiple theme options and contact images for quick visual recognition
- > Video voicemail, enables visitors to leave a video message
- > Add a secondary IP camera for higher security sites
- Reads Paxton and MIFARE® token technology



☆ Indicates readers that have functionality to read HID™ 125kHz Proximity when enabled using Genuine HID Technology™ 125kHz. Proximity activation license cards, sold separately (see Tokens section, pg.15).







30



Entry - Standard panel, surface



Entry - Standard panel, flush mount



Entry - Standard panel, surface mount with rain hood

-	
	Ĩ-ª-Ĩ
11.8″	• 0000 •
	° ° ° ° °
1	
	⊢4.5″ <u></u>








Entry Premium monitor - with



Entry monitor - desktop stand


Sales code 337-294-US





Sales code 337-292-US

NEW IN ENTRY




The Paxton Entry app

Open the door anytime, anywhere.

With the Paxton Entry app you can answer the door and grant access to your building on a smartphone or tablet, from anywhere in the world!*

Offer your customers more flexibility with Paxton video intercom. Plus, for the first time ever, you can generate regular recurring revenue from your Paxton Entry installations.

- Simple, low-cost license fee
- Exclusive discounted pricing available to Paxton Rewards partners
- Flexible 30 days credit







*Internet connection required

877.438.7298

32

Demo Cases

Demo cases contain everything you need to demonstrate a one door system.

Additionally, show your customers the benefits of our simple video intercom solution in just two minutes, with the Entry video. Watch it here: http://paxton.info/3143

☆ Indicates readers that have functionality to read HID™ 125kHz Proximity when enabled using Genuine HID Technology™ 125kHz. Proximity activation license cards, sold separately (see Tokens section, pg.15).



Demo case Entry - Touch panel

The case includes an Entry Touch panel, Entry Premium monitor and a sample pack of Net2 demonstration tokens.

Sales code 337-635-US



Demo case Entry - Standard panel


The case includes an Entry Standard panel, Entry Standard monitor and a sample pack of Net2 demonstration tokens.

Sales code 337-430-US





33



Entry now works Standalone

Our video intercom system now works in standalone mode for a quick, simple installation and easy user management with our standard enrolment and shadow cards. Offer a flexible system that can grow in line with your customers' requirements and be upgraded to an online Net2 solution, with no hidden costs.

- Enable offline token-based access control on any Entry site
- Simple user management utilising Paxton's standalone functionality
- Upgrade existing standalone sites with video door entry for extra convenience
- Combine with other Paxton standalone products to build an entire easy-to-use system supporting the same tokens across the site
- See Standalone card packs on page 45

Watch the Entry Video



Show your customers the benefits of our simple video intercom solution in just two minutes, with the Entry video.

- Featuring the whole Entry range, including the touch panel and premium monitor
- Just 3 components that auto-detect on set up
- Discover a scalable solution that suits a variety of locations

Watch it here:

http://paxton.info/3143

Wireless Locksets

PaxLock Pro is compatible with Net2 and Paxton10, or works in Standalone mode. PaxLock Pro is a wireless, electronic, battery powered door handle.

- Flexible upgrade path from standalone to networked, allowing your system to grow to suit your needs
- Internal and external variants available
- IK10 impact rated, external variant is also IP55 rated (reader side only)
- Supports multi-token technology, including Paxton, MIFARE®, Bluetooth®* and HID®Prox
- FCC part 15 & ISED certified

Wireless Locksets

PaxLock Pro Wireless Controller

- PaxLock Pro Mortise & PaxLock Pro -Latch versions available
- Standalone or networked
- Simple upgrade path from standalone to networked
- Dual-frequency proximity reader
- ▶ UL294 Certified
- UL10C Certified** for fire doors
- Tested to ANSI 156.25**

** PaxLock Pro - Mortise only



PaxLock Pro - Mortise, Galaxy

Sales code 900-640WT-US White


Sales code 900-640BL-US Black

PaxLock Pro - Mortise, Eclipse


Sales code 900-650WT-US White

Sales code 900-650BL-US Black





Example PaxLock Pro with a Net2 system



Sales code 900-635WT-US White

Sales code 900-635BL-US Black

Please note: The PaxLock Pro – Mortise lockset provides key override functionality to ensure access can be gained in the rare event of a unit failure. Locking hardware sold separately.



Wireless Locksets

36


PaxLock Pro Components

These products may be used with PaxLock Pro to aid installation on a variety of doors.

PaxLock Pro – Latchbolt Mortise lock



Sales code 901-053-US





PaxLock Pro – Tubular latch 2-3/8"

Sales code 901-051-US

PaxLock Pro – Tubular latch 2-3/4"



Sales code 901-052-US



Wireless Locksets



PaxLock Pro - Mortise door installation jig



PaxLock Pro - Latch door installation jig

Sales code 900-080-US





Net2Air Bridge

Sales code

900-081-US





Paxton10 Wireless Connector

Sales code 010-687-US



Demo case PaxLock Pro

The demo case comes with everything you need to show your customers the PaxLock Pro options in action.

- 2 x Demo Stands with PaxLock Pro Mortise and Latch options
- Standalone Token pack (x2 Tokens)
- Batteries

Sales code 900-695-US




Standalone access control is the simplest way to secure and control access through doors around your building. If you're looking to step up security, protect your staff and assets and save money, then Standalone access control is for you.

:200

32

- A non-networked access control solution
- Simple and unique card management system
- Internal (Compact)/external (Switch2)
- Suitable for small to medium sized premises, or any site looking to secure a small number of doors
- Entry and PaxLock Pro now work in standalone mode





Entry

Our video intercom system works in standalone mode for a quick, simple installation and easy user management with our standard enrolment and shadow cards. Offer a flexible system that can grow in line with your customers' requirements and be upgraded to work with Net2 or Paxton10, with no hidden costs.

See page 33 for more information

PaxLock Pro

PaxLock Pro is our wireless access control solution in a battery operated door handle. It can be installed in standalone mode for use on sites not requiring the additional functionality of an online system. It's flexible upgrade path from standalone to networked creates a solution which can evolve with the needs of your customer.


See page 35 for more information



40

Switch2 Readers

These readers are for use with Switch2. Designed to fit in seamlessly in any environment, our wide range means you get the right choice for your site requirements.



Sales code 323-110-US -7 9"



Sales code 324-110-US

7.07	



PROXIMITY metal reader, satin chrome

Sales code 390-747-US





PROXIMITY metal reader, chrome











877.438.7298

42

PROXIMITY KP50 keypad

PROXIMITY KP75 keypad

TOUCHLOCK K75 keypad

Sales code 355-110-US





Sales code 375-110-US





TOUCHLOCK K50 keypad







Sales code 371-110-US





TOUCHLOCK K50 stainless steel keypad

Sales code 352-110-US





TOUCHLOCK K75 stainless steel keypad

Sales code 372-110-US






Vandal resistant metal keypad

Sales code 521-715-US





Compact

Compact is a standalone solution where all the electronics are housed within the reader. Compact is suitable for low security internal doors requiring a costeffective solution.



PROXIMITY P38 compact reader Sales code 333-210-US	1.5"
PROXIMITY P50 compact reader Sales code 353-210-US	6°. 2″
PROXIMITY P75 compact reader Sales code 373-210-US	5.6° 0 0



PROXIMITY compact vandal proof reader

Sales code 326-735-US



& www.paxton-access.com/us



Vandal resistant compact metal keypad

Sales code 521-836-US



<u>⊢</u>3″—







TOUCHLOCK K75 compact keypad

	0 0 0 0 0 0 0 0 0 0 0 0
1	0
	<u> </u>



TOUCHLOCK K50 stainless steel compact keypad

Sales code 352-210-US

Sales code 351-210-US



3.9%



TOUCHLOCK K75 stainless steel compact keypad

Sales code 372-210-US


Sales code 371-210-US






Standalone Tokens

These tokens are for use with Switch2 and Compact systems..



Standalone Accessories

These accessories are for use with Switch2 and Compact systems.



Sales code 857-610-US



Sales code 857-630-US

_	
12.5"-	
T	
-	·
	12.5"



ISO card holder, clear, pack of 5



Sales code 696-400-US





Hands free card holders with suckers, pack of 5

Sales code 696-100-US





supportUS@paxton-access.com

Additional Information

Dealer training

We offer practical hands-on training for our Net2 system. The BICSI CEC registered program is designed to provide you with the essential knowledge needed to install Paxton products.

- Ensure accurate installation
- Reduce time on site
- Courses are free of charge
- Materials and equipment provided

For more information and to book a session, go to **http://paxton.info/3139**.



Industry leading technical support

Call Paxton and you will be put straight through to our expert support team. Our friendly team is available from 8am-8pm EST Monday-Friday.

Call: 877.438.7298 E-mail: supportUS@paxton-access.com



Sales literature

We offer an extensive range of brochures and sales guides to support you every step of the way, from sales to specification. All documentation is available to download from our website at http://paxton.info/1549.

Case studies

Find out how our systems can be adapted to meet a range of diverse requirements by reading our latest case studies. We have a range of examples covering education, healthcare, retail, leisure, commercial and public buildings.

See our latest case studies here: http://paxton.info/3140

Net2 integration

We want to ensure that we are providing the most sophisticated

solutions available. We do this by working with quality manufacturers to provide the best of breed solutions and making them available to you. You can see a map of our Net2 integration partners at **http://paxton.info/2958**.

axton

Approved Integration

Sign up to our newsletter

The Paxton Installer is your regular newsletter, containing the latest news, product information and updates from us. Your copy of the Paxton Installer will arrive in your inbox, full of useful information that will make your job easier and help you to win more business.

Sign up now: http://paxton.info/3141



Support

Notes		
<i>∂</i> www.paxton-access.com/us	877.438.7298	SupportUS@paxton-access.com

49

Support

Г	\cap
С	U

Notes		
 <i>∂</i> www.paxton-access.com/us	\$ 877.438.7298	supportUS@paxton-access.com



Paxton 5 year warranty and hassle free returns policy

We offer a five year guarantee on all our products.

If a problem arises, all you have to do is return your Paxton product to your local distributor.

We want to make life as easy as possible for installers of Paxton products. Our five year warranty and hassle-free returns policy helps us to do this successfully.



Product Selection Guide

Paxton Access Inc. 155 Global Drive Greenville SC 29607 USA

₭ 877.438.7298
 ☑ supportUS@paxton-access.com
 ⊘ www.paxton-access.com/us

MIFARE® is a registered trademark of NXP B.V. and is used under license. The Genuine HID Technology logo is a trademark of HID Global Corporation/ASSA ABLOY AB. Used with permission. All information and specifications correct at the point of publication, but may be subject to change without notice. All pictures shown are for illustration purpose only. Actual products may vary.

We recommend that you share this guide digitally, to save paper. If you do print it, please make sure you recycle it when it's no longer needed!